



Georgia State Amendments to the International Plumbing Code (2006 Edition)



Georgia Department of Community Affairs
Planning and Environmental Management Division
60 Executive Park South, N.E.
Atlanta, Georgia 30329-2231
(404) 679-3118
www.dca.ga.gov

Revised January 1, 2010

**GEORGIA STATE MINIMUM STANDARD PLUMBING CODE
(INTERNATIONAL PLUMBING CODE WITH GEORGIA STATE AMENDMENTS)**

The INTERNATIONAL PLUMBING CODE, 2006 Edition, published by the International Code Council, when used in conjunction with these Georgia State Amendments and all other Georgia State Amendments to the INTERNATIONAL PLUMBING CODE, 2006 Edition, shall constitute the official *Georgia State Minimum Standard Plumbing Code*.

GEORGIA STATE AMENDMENTS

CODE REFERENCE:

- (a) Replace all references to the ICC *Electrical Code* with references to the *Georgia State Minimum Standard Electrical Code (National Electrical Code with Georgia State Amendments)*.
- (b) Replace all references to the *International Energy Conservation Code (IECC)* with references to the *Georgia State Minimum Standard Energy Code (IECC with Georgia State Supplements and Amendments)*. The *Georgia State Minimum Standard Energy Code* shall be used for efficiency and coefficient of performance ratings of plumbing equipment.

**GEORGIA STATE MINIMUM
REQUIREMENTS FOR BOILERS/WATER HEATERS AND PRESSURE VESSELS**

The State's minimum requirements for boilers/water heaters and pressure vessels over 200,000 BTU/h (58.61 kW), 210 degrees Fahrenheit or 120 gallons capacity shall be established by O.C.G.A. Title 34, Chapter 11 and the Rules and Regulations of the Georgia Department of Labor.

****Revise the International Plumbing Code, 2006 Edition, as follows:***

**APPENDIX C
GRAY WATER RECYCLING SYSTEMS**

**SECTION C102
SYSTEMS FOR FLUSHING WATER
CLOSETS AND URINALS**

***Revise first sentence of Section C102.6 'Identification' of the 2009 Georgia Amendment to read as follows:**

C102.6 Identification. Distribution plumbing fixtures and reservoirs shall be identified as containing nonpotable gray water. Piping shall be purple and identified in accordance with Section 608.8.

(Effective January 1, 2010)

*Add new Section C102.6.1 ‘Gray water valve identification’ to the 2009 Georgia Amendment as follows:

C102.6.1 Gray water valve identification. Gray water valves shall be identified as nonpotable gray water and also identified as for the purpose of the valve.
(Effective January 1, 2010)

*Revise title of ‘Appendix I’ of the 2009 Georgia Amendment from ‘Rain Water Recycling Systems’ to ‘Rain Water Harvesting Systems’. Also revise all other references in Appendix I from ‘Rain Water Recycling Systems’ to ‘Rain Water Harvesting Systems’.
(Effective January 1, 2010)

SECTION I101 GENERAL

*Revise first sentence of Section I101.1 ‘Scope’ of the 2009 Georgia Amendment to read as follows:

I101.1 Scope. The provisions of this appendix shall govern the materials, design, construction and installation of rain water systems for automatic clothes washers, flushing of water closets, flushing of urinals, and cooling tower makeup water. Nothing in this appendix shall be construed to restrict the use of rain water for outdoor irrigation.
(Effective January 1, 2010)

*Revise Section I101.9 ‘Potable water connections’ of the 2009 Georgia Amendment to read as follows:

I101.9 Potable water connections. Only connections in accordance with Section I102.3 shall be made between a rain water harvesting system and a potable water system.
(Effective January 1, 2010)

*Delete Section I102.1 ‘Collection reservoir’ of the 2009 Georgia Amendment in its entirety without substitution.
(Effective January 1, 2010)

End of Amendments.